

STEREOOPING

In-Out-sticker for Moog® Matriarch™

Sticking instructions

Preparation

The area on the Matriarch where the sticker is to be applied should be degreased before sticking it on. It is best to use a microfibre cloth for this. A slightly riskier but also more thorough method is to use a cloth with a mild glass cleaner (spray the glass cleaner onto the cloth, not onto the Matriarch!). **Under no circumstances should you use methylated spirits, paint thinner or even acetone! This would damage your Matriarch.**

The sticker has medium-strength adhesive. It should be possible to remove it from the Synth without leaving any residue, even after a long period of time. Try not to touch the adhesive surface and do not apply the sticker in extreme temperatures or high humidity, as it may not stick properly to the Matriarch otherwise.

1. first remove the rim



2. In the OSCILLATORS section, there are four cut-outs for the calibration holes. To ensure they don't come off when you peel off the sticker, you can press them down onto the protective film with a pencil or scalpel whilst you're peeling off the sticker.



... that way, they'll stay on the protective film and won't bother you later. Peel off the protective film completely



3. We'll start with the FILTERS section. Align the sticker along both axes so that it just covers the word FILTERS on the Matriarch and the edges of MIXER and UTILITIES line up. Press down gently. If it doesn't fit straight away, simply peel it off and try again. Then press down gently so that the sticker doesn't slip out of place.



4. Then align it with the OSCILLATORS and press it down gently. If you have to bend the sticker too much to do this, it wasn't positioned parallel enough in the previous step. In that case, go back to step 3.

Finally, do the same with the ENVELOPE GENERATORS, aligning it until the words on the Matriarch are just covered.

Due to various factors, the sticker does not fit exactly to the section boundary lines to within a tenth of a millimetre. So don't be too much of a perfectionist :-)



5. Finally, fold the sticker over the edge of the case and press the back down firmly, trying to avoid creases as much as possible. It is important to press down firmly and smooth it out, and you should repeat this after a few minutes. The sticker's adhesive is relatively weak so that it can be removed again later. If you don't press it down firmly several times, it will otherwise come off on its own.

